IN THE CLAIMS:

This Listing of Claims will replace all prior versions, and listings, of claims in the subject Patent Application:

Listing of Claims:

1. (Currently Amended) A capacitive touchpad integrated with key and handwriting functions, comprising:

a panel for touch inputting;

a first pattern on said panel for representing a mode switch to switch said touchpad between a key mode and a handwriting mode;

a plurality of regions selectively defined on said panel responsive to actuation of said mode switch; and

a plurality of second patterns selectively defined on said plurality of regions for operation in said key and handwriting modes.

- 2. (Original) A capacitive touchpad of claim 1, further comprising a mouse mode for switching thereto by touching said first pattern.
- 3. (Original) A capacitive touchpad of claim 1, further comprising an LCD for displaying an input from said panel.

Serial Number: 10/668,352

Reply to Office Action dated 30 May 2006

4. (Currently Amended) A capacitive touchpad of claim 1 integrated with key and handwriting functions, comprising:

a panel for touch inputting;

a first pattern on said panel for representing a mode switch to switch said touchpad between a key mode and a handwriting mode;

a plurality of regions defined on said panel; and

a plurality of second patterns on said plurality of regions for operation in said key and handwriting modes;

wherein said panel comprises:

a substrate selected from the group consisting of PCB, membrane and transparent plate;

a conductor wiring on said substrate; and an insulator covered on said conductor wiring.

- 5. (Original) A capacitive touchpad of claim 4, wherein said conductor wiring comprises an ITO.
- 6. (Original) A capacitive touchpad of claim 4, wherein said insulator is transparent.

MR2707-46

Serial Number: 10/668,352

Reply to Office Action dated 30 May 2006

7. (Original) A capacitive touchpad of claim 1, further comprising a backlight for said panel.

- 8. (Original) A capacitive touchpad of claim 1, further comprising a recognition module for recognizing an input trace onto said panel in said handwriting mode.
- 9. (Original) A capacitive touchpad of claim 1, further comprising a judgment module for determining a number of fingers touching onto said panel.
- 10. (Original) A capacitive touchpad of claim 1, wherein said plurality of second patterns comprises a plurality of key patterns for performing a telephone keyboard.
- 11. (Currently Amended) A mobile telephone characterized in a capacitive touchpad included thereon, said capacitive touchpad comprising:
 - a panel for touch inputting;
- a first pattern on said panel for representing a mode switch to switch said touchpad between a key mode and a handwriting mode;
- a plurality of regions <u>selectively</u> defined on said panel <u>responsive to</u> <u>actuation of said mode switch;</u> and

a plurality of second patterns <u>selectively defined</u> on said plurality of regions for operation in said key and handwriting modes.

- 12. (Original) A mobile telephone of claim 11, wherein said capacitive touchpad further comprising a mouse mode for switching thereto by touching said first pattern.
- 13. (Original) A mobile telephone of claim 11, further comprising an LCD for displaying an input from said panel.
- 14. (Currently Amended) A mobile telephone of claim 11 characterized in a capacitive touchpad included thereon, said capacitive touchpad comprising:

a panel for touch inputting;

a first pattern on said panel for representing a mode switch to switch said touchpad between a key mode and a handwriting mode;

a plurality of regions defined on said panel; and

a plurality of second patterns on said plurality of regions for operation in said key and handwriting modes;

wherein said panel comprises:

a substrate selected from the group consisting of PCB, membrane and transparent plate;

a conductor wiring on said substrate; and an insulator covered on said conductor wiring.

- 15. (Original) A mobile telephone of claim 14, wherein said conductor wiring comprises an ITO.
- 16. (Original) A mobile telephone of claim 14, wherein said insulator is transparent.
- 17. (Original) A mobile telephone of claim 11, further comprising a backlight for said panel.
- 18. (Original) A mobile telephone of claim 11, further comprising a recognition module for recognizing an input trace onto said panel in said handwriting mode.
- 19. (Original) A mobile telephone of claim 11, further comprising a judgment module for determining a number of fingers touching onto said panel.

20. (Original) A mobile telephone of claim 11, wherein said plurality of second patterns comprises a plurality of key patterns for performing a telephone keyboard.

21. (Currently Amended) A capacitive touchpad integrated with key and mouse functions, comprising:

a panel for touch inputting;

a first pattern on said panel for representing a mode switch to switch said touchpad between a key mode and a mouse mode;

a plurality of regions <u>selectively</u> defined on said panel <u>responsive to</u> actuation of <u>said mode switch</u>; and

a plurality of second patterns <u>selectively defined</u> on said plurality of regions for operation in said key and mouse modes.

- 22. (Original) A capacitive touchpad of claim 21, further comprising a handwriting mode for switching thereto by touching said first pattern.
- 23. (Original) A capacitive touchpad of claim 21, further comprising an LCD for displaying an input from said panel.

MR2707-46

Serial Number: 10/668,352

Reply to Office Action dated 30 May 2006

24. (Currently Amended) A capacitive touchpad of claim 21 integrated with key and mouse functions, comprising:

a panel for touch inputting;

a first pattern on said panel for representing a mode switch to switch said touchpad between a key mode and a mouse mode;

a plurality of regions defined on said panel; and

a plurality of second patterns on said plurality of regions for operation in said key and mouse modes;

wherein said panel comprises:

a substrate selected from the group consisting of PCB, membrane and transparent plate;

a conductor wiring on said substrate; and an insulator covered on said conductor wiring.

- 25. (Original) A capacitive touchpad of claim 24, wherein said conductor wiring comprises an ITO.
- 26. (Original) A capacitive touchpad of claim 24, wherein said insulator is transparent.

27. (Original) A capacitive touchpad of claim 21, further comprising a backlight for said panel.

- 28. (Original) A capacitive touchpad of claim 22, further comprising a recognition module for recognizing an input trace onto said panel in said handwriting mode.
- 29. (Original) A capacitive touchpad of claim 21, further comprising a judgment module for determining a number of fingers touching onto said panel.
- 30. (Original) A capacitive touchpad of claim 21, wherein said plurality of second patterns comprises a plurality of key patterns for performing a telephone keyboard.
- 31. (Currently Amended) A capacitive touchpad integrated with mouse and handwriting functions, comprising:
 - a panel for touch inputting;
- a first pattern on said panel for representing a mode switch to switch said touchpad between a mouse mode and a handwriting mode;
- a plurality of regions <u>selectively</u> defined on said panel <u>responsive to</u> <u>actuation of said mode switch</u>; and

a plurality of second patterns <u>selectively defined</u> on said plurality of regions for operation in said mouse and handwriting modes.

- 32. (Original) A capacitive touchpad of claim 31, further comprising a key mode for switching thereto by touching said first pattern.
- 33. (Original) A capacitive touchpad of claim 31, further comprising an LCD for displaying an input from said panel.
- 34. (Currently Amended) A capacitive touchpad of claim 31 integrated with mouse and handwriting functions, comprising:

a panel for touch inputting;

a first pattern on said panel for representing a mode switch to switch said touchpad between a mouse mode and a handwriting mode;

a plurality of regions defined on said panel; and

a plurality of second patterns on said plurality of regions for operation in said mouse and handwriting modes;

wherein said panel comprises:

a substrate selected from the group consisting of PCB, membrane and transparent plate;

a conductor wiring on said substrate; and

MR2707-46

Serial Number: 10/668,352

Reply to Office Action dated 30 May 2006

an insulator covered on said conductor wiring.

35. (Original) A capacitive touchpad of claim 34, wherein said conductor

wiring comprises an ITO.

36. (Original) A capacitive touchpad of claim 34, wherein said insulator is

transparent.

37. (Original) A capacitive touchpad of claim 31, further comprising a

backlight for said panel.

38. (Original) A capacitive touchpad of claim 31, further comprising a

recognition module for recognizing an input trace onto said panel in said

handwriting mode.

39. (Original) A capacitive touchpad of claim 31, further comprising a

judgment module for determining a number of fingers touching onto said panel.

40. (Original) A capacitive touchpad of claim 31, wherein said plurality of

second patterns comprises a plurality of key patterns for performing a telephone

keyboard.

Page 11 of 16